

## Welcome to the Version 14.1 Beta page

Here you will be able to view the list of fixes/changes between Beta builds. Please pay particular attention to the "Limitations and Known problems" list, as this may change with each new build.

To submit feedback on issues you find in the Beta versions:

- Please start a Forum thread using the appropriate link below based on the operating system you are testing on. The Forum will allow you to submit issues you find or discuss how the application should be working:

- [www.lwks.com/windowsbetaforum](http://www.lwks.com/windowsbetaforum),
- [www.lwks.com/linuxbetaforum](http://www.lwks.com/linuxbetaforum)
- [www.lwks.com/macbetaforum](http://www.lwks.com/macbetaforum)

Please make sure you have searched for the issue before creating a new thread, this should help stop duplicate threads being created. The more feedback we get, the faster we can resolve issues.

### Cross Platform Fixes and Features Since 14.1.0.0 revision 102397 Beta

- Added ability to set the size of the thumbnails on the FX panel
- Added ability to create proxies for files shorter than a second using I-Frame codecs (Cineform, AVC-Intra)
- Added quality setting options for CineForm on the Render panel (work in progress)
- Fixed imports of AVID DNxHD exports from Resolve
- Fixed potential crashing using Fit-to-fill
- Fixed crash importing Yi 4k+ sample file
- Fixed potential crash attempting to export to an unsupported DV format
- Fixed torn off timecodes not working on an open labels panel (Flexible layout)
- Fixed potential crash opening a project in Flexible layout
- Fixed Twin playing function (ALT 2 and ALT 1) not working
- Fixed Fit-to-fill inserting audio at the incorrect speed
- Fixed slow import of a folder containing H.264 MP4 files when using Create Link
- Fixed crash using twin-play with a clip from the Recent->Current filter
- Fixed hundreds of files being copied locally instead of the selected few with image-sequences

## 14.1 revision 102587

Written by

Friday, 22 December 2017 11:28 -

---

- Fixed crash and fatal memory corruption rendering to "2k 1:85:1 24fps, MOV, DVCPRO100"
- Fixed dragging/dropping a timeline segment onto the sequence viewer not subsequently removing the dropped item
- Fixed crash pressing Play on a sequence with the Video Tools panel open to the RGB tab when set to 16-bit Float precision
- Fixed crash switching from the YCrCb tab to the RGB tab of the Video Tools panel during playback when set to 16bit Precision
- Improved thumbnail rendering speeds for H.264 MP4/MOV files

### **Mac OS X Specific Fixes and Features Since 14.1.0.0 revision 102397 Beta**

- N/A

### **Windows Specific Fixes and Features Since 14.1.0.0 revision 102397 Beta**

- Fixed update of transcoded material for shared projects
- Fixed odd cue list behaviour in shared projects when selecting a cue from the list

### **Linux Specific Fixes and Features Since 14.0.0.0 revision 102397 Beta**

- N/A

### **Cross Platform Limitations and Known Issues**

- Potential crash if attempting to export an image sequence from a sequence containing 16-bit DPX files
  - There is no ability to stream/play MP3 files on the import panel
  - Some MTS files will show pixelation on the start frames.
  - There is currently no way of searching for Groups
  - MTS files with two video streams (3D) will cause the MainConcept decoder to crash and Lightworks to close
  - The screen capture function is not currently working
  - CDDA ripping is no longer available
  - Potential crash importing QTRef files
  - Potential crash importing WMV files
  - Audio monitor delay setting will not be accounted for during export
  - There is no Firewire support
  - AVID DNxHD 10bit encode is not possible
  - Make sure any other applications are closed before attempting to install Lightworks
  - Video track can turn red after removing certain FX
  - .VOB files appear as "Sound" only on the import panel, but yet import with picture.
- Performance will be slow
- Image quality on playback may be poor when project card set to NTSC Fields
  - You will not be able to transcode 1080p 60fps files on import to AVID DNxHD (MPEG AVI

works correctly)

- Blu-ray VC1 export does not generate a valid file. It imports back as Sound only
- Audio on exported AVCHD files cannot be played by Windows Media Player it is just mute
- The Record panel format must match the output format for successful recording to take place

### **Limitations and Known Problems on Mac 10.9 (Mavericks) and Higher**

- Potential crash during export
- BMP Image Sequence exports will show a slightly dark thumbnail image on the Tasks panel
- Any users running Macbook Pros MUST disable "Automatic graphics switching" under "Energy Saver" in the "System Preferences"
- Lightworks will only run on 10.9 (Mavericks) and above
- There is no H.264 MOV export
- There is no Quicktime/MPEG4 export option
- There is no FX Plugin support
- There is no .WMV import
- There is no Apple ProRes 4444 export option
- There is no MPEG AVI option on Record/Render/Transcode/Export panels
- There is no support for Matrox I/O hardware
- The shared project feature is not currently working
- Video overlay may change brightness on playback when running dual monitor setups
- MTS playback may be poor

### **Limitations and Known Problems (Windows 32bit)**

- If the Matrox VFW codecs are installed on a Windows 8/8.1 system then you will not be able to open the export panel. Please uninstall the VFW codecs for the time being
- Image on viewers and SDI output may look very poor on old ATI graphics card when set to 10-bit precision

### **Limitations and Known Problems (Windows 64bit)**

- There is no QuickTime Movie/MPEG4 import/export via Apple SDK
- Premiere and After Effects plugins are not supported

Limitations and Known Problems (Linux 64bit) Audio content analysis is disabled

### **Limitations and Known Problems (Linux 64bit)**

Tested distros (Other distributions may work, but have not been tested):

-

### Debian Distros:

- Ubuntu/Lubuntu/Xubuntu 17.10
- Mint 17

-

### RPM Distros:

- Fedora 24/25
- There is no Quicktime Movie/MPEG4 export option
- There is no Mackie Audio Mixer support
- There is no .WMV import
- ATI and Nvidia cards are supported. EditShare recommends Nvidia for the best performance
- Fraps AVIs will not import
- There is no FX plugin support
- No audio imported from OMFs (that do have embedded audio)
- Audio may not be present on some Uncompressed AVIs
- Do not use linux default GFX driver. If you experience the viewer playing at a reduced size then the Linux default graphics driver is installed. Please make sure the Nvidia driver is loaded an the system is restarted

### **Limitations and Known Issues With Matrox Hardware I/O (Windows only)**

- If your system is not fast enough or does not have enough memory, the captures using MXO2 will stop with a "dropped-frame" message
- If the drives you are recording to are not fast enough the captures using MXO2 will stop with a "dropped-frame" message

### **Limitations and Known Issues With Blackmagic Hardware I/O (Windows, Linux and Mac OS X)**

- Input or Output only devices cannot be used. Lightworks requires both an Input and an Output to be present on the device.
- The SDI output may flash when stopping playback if set to an interlaced output
- Audio monitor level control has no effect on Blackmagic recordings

## 14.1 revision 102587

Written by

Friday, 22 December 2017 11:28 -

---

- You will not be able to view video on the Blackmagic output if Precision is set to 10bit. Change to 8bit
- There will be no audio playback when the project card is set to 1080p59.94

### **Limitations and Known Issues With AJA Hardware I/O (Windows and Mac OS X)**

- Audio monitor level control has no effect on AJA recording
- There is no E-E when using the KONA LHi during recording
- If your system is not fast enough or does not have enough memory, the captures using AJA devices will stop with a "dropped-frame" message
- If the drives you are recording to are not fast enough the captures using AJA devices will stop with a "dropped-frame" message
- On Kona 3G SDI 1 output must be used with Windows 32bit and SDI 2 output must be used with Windows 64bit