

## Welcome to the Version 14.1 Beta page

Here you will be able to view the list of fixes/changes between Beta builds. Please pay particular attention to the "Limitations and Known problems" list, as this may change with each new build.

To submit feedback on issues you find in the Beta versions:

- Please start a Forum thread using the appropriate link below based on the operating system you are testing on. The Forum will allow you to submit issues you find or discuss how the application should be working:
  - [www.lwks.com/windowsbetaforum](http://www.lwks.com/windowsbetaforum),
  - [www.lwks.com/linuxbetaforum](http://www.lwks.com/linuxbetaforum)
  - [www.lwks.com/macbetaforum](http://www.lwks.com/macbetaforum)

Please make sure you have searched for the issue before creating a new thread, this should help stop duplicate threads being created. The more feedback we get, the faster we can resolve issues.

### Cross Platform Fixes and Features Since 14.1.0.0 revision 102835 RC3

- Added ability to log black frames during export
- Removed MXF option on the transcode panel
- Fixed crash changing BITC Cue name
- Fixed crash after clicking on 'Sequence' tab on the BITC panel
- Prevented local media from being included in an archive/backup when including only linked media
  - Fixed hang during proxy creation when deleting a proxy file while other proxies are being generated
  - Fixed potential crash deleting the last item in a project
  - Fixed multi track audio restoring from an archive and appearing offline
  - Fixed proxy creation failing without an error message when there is not enough hard drive space available
  - Fixed "Make Proxy" option being greyed out on the Media panel
  - Fixed issue with audio media being offline after importing as Transcode
  - Fixed Image sequence exports (except DPX) producing invalid images
  - Fixed incorrect name suffix for syncs generated from a bin

## 14.1 revision 103020

Written by

Friday, 19 January 2018 11:51 -

---

- Fixed complications surrounding deleting rooms with the same name
- Fixed incorrect Reaper exports showing incorrect audio within Reaper
- Fixed 'Cycle Inputs' having no visible effect if the viewer is in static update mode
- Fixed inability to move the fullscreen preview to the non-primary monitor
- Fixed hang opening the Room list if invalid files are encountered
- Fixed segments in the sequence timeline suddenly disappearing
- Fixed removal of an effect leaving a solid black segment on the timeline
- Fixed "Cycle effects input" shortcut not working on the video routing panel
- Fixed incorrect speed change via 'Resize' with grouped tracks
- Fixed crash ungrouping a group within a group which has been torn off to the desktop
- Fixed incorrect size calculations on archive/backup panel
- Fixed unjoin mouse cursors not appearing
- Fixed small clip segments on the timeline that cannot be unjoined when set to 'Default' drag region size
- Fixed "Take" missing from the list of available segments texts on the timeline
- Fixed 8bit DPX exports showing on the import panel with the incorrect colour until the image is clicked on
- Fixed inability to export from a sequence containing a speed changed image sequence which was created in an earlier version that allowed the sequence to extend beyond the end of the clip

### **Mac OS X Specific Fixes and Features Since 14.1.0.0 revision 102835 RC3**

- Fixed fullscreen display showing incorrectly
- Removed PPM file type from the Image Sequence export list
- Removed BMP image sequence Import/Export

### **Windows Specific Fixes and Features Since 14.1.0.0 revision 102835 RC3**

- N/A

### **Linux Specific Fixes and Features Since 14.0.0.0 revision 102835 RC3**

- Fixed potential 100% Memory usage during YouTube exports

### **Cross Platform Limitations and Known Issues**

- Proxy files will not be created for files shorter than one second in length when set to H.264
- Potential crash if attempting to export an image sequence from a sequence containing 16-bit DPX files
- There is no ability to stream/play MP3 files on the import panel
- Some MTS files will show pixelation on the start frames.
- There is currently no way of searching for Groups
- MTS files with two video streams (3D) will cause the MainConcept decoder to crash and Lightworks to close

## 14.1 revision 103020

Written by

Friday, 19 January 2018 11:51 -

---

- The screen capture function is not currently working
- CDDA ripping is no longer available
- Potential crash importing QTRef files
- Potential crash importing WMV files
- Audio monitor delay setting will not be accounted for during export
- There is no Firewire support
- AVID DNxHD 10bit encode is not possible
- Make sure any other applications are closed before attempting to install Lightworks
- Video track can turn red after removing certain FX
- .VOB files appear as "Sound" only on the import panel, but yet import with picture.

Performance will be slow

- Image quality on playback may be poor when project card set to NTSC Fields
- You will not be able to transcode 1080p 60fps files on import to AVID DNxHD (MPEG AVI works correctly)

works correctly)

- Blu-ray VC1 export does not generate a valid file. It imports back as Sound only
- Audio on exported AVCHD files cannot be played by Windows Media Player it is just mute
- The Record panel format must match the output format for successful recording to take place

### **Limitations and Known Problems on Mac 10.9 (Mavericks) and Higher**

- There is no ability to Import or Export .BMP image sequences
- Any users running Macbook Pros MUST disable "Automatic graphics switching" under "Energy Saver" in the "System Preferences"
- Lightworks will only run on 10.9 (Mavericks) and above
- There is no H.264 MOV export
- There is no Quicktime/MPEG4 export option
- There is no FX Plugin support
- There is no .WMV import
- There is no Apple ProRes 4444 export option
- There is no MPEG AVI option on Record/Render/Transcode/Export panels
- There is no support for Matrox I/O hardware
- The shared project feature is not currently working
- Video overlay may change brightness on playback when running dual monitor setups
- MTS playback may be poor

### **Limitations and Known Problems (Windows 32bit)**

- If the Matrox VFW codecs are installed on a Windows 8/8.1 system then you will not be able to open the export panel. Please uninstall the VFW codecs for the time being
- Image on viewers and SDI output may look very poor on old ATI graphics card when set to 10-bit precision

### **Limitations and Known Problems (Windows 64bit)**

## 14.1 revision 103020

Written by  
Friday, 19 January 2018 11:51 -

---

- There is no QuickTime Movie/MPEG4 import/export via Apple SDK
- Premiere and After Effects plugins are not supported

Limitations and Known Problems (Linux 64bit)Audio content analysis is disabled

### **Limitations and Known Problems (Linux 64bit)**

Tested distros (Other distributions may work, but have not been tested):

-

Debian Distros:

- Ubuntu/Lubuntu/Xubuntu 17.10
- Mint 17

-

RPM Distros:

- Fedora 24/25

- There is no Quicktime Movie/MPEG4 export option
- There is no Mackie Audio Mixer support
- There is no .WMV import
- ATI and Nvidia cards are supported. EditShare recommends Nvidia for the best performance
- Fraps AVIs will not import
- There is no FX plugin support
- No audio imported from OMFs (that do have embedded audio)
- Audio may not be present on some Uncompressed AVIs
- Do not use linux default GFX driver. If you experience the viewer playing at a reduced size then the Linux default graphics driver is installed. Please make sure the Nvidia driver is loaded an the system is restarted

### **Limitations and Known Issues With Matrox Hardware I/O (Windows only)**

- If your system is not fast enough or does not have enough memory, the captures using MXO2 will stop with a "dropped-frame" message
- If the drives you are recording to are not fast enough the captures using MXO2 will stop with a "dropped-frame" message

### **Limitations and Known Issues With Blackmagic Hardware I/O (Windows, Linux and Mac OS X)**

- Input or Output only devices cannot be used. Lightworks requires both an Input and an Output to be present on the device.
- The SDI output may flash when stopping playback if set to an interlaced output
- Audio monitor level control has no effect on Blackmagic recordings
- You will not be able to view video on the Blackmagic output if Precision is set to 10bit.  
Change to 8bit
- There will be no audio playback when the project card is set to 1080p59.94

### **Limitations and Known Issues With AJA Hardware I/O (Windows and Mac OS X)**

- Audio monitor level control has no effect on AJA recording
- There is no E-E when using the KONA LHi during recording
- If your system is not fast enough or does not have enough memory, the captures using AJA devices will stop with a "dropped-frame" message
- If the drives you are recording to are not fast enough the captures using AJA devices will stop with a "dropped-frame" message
- On Kona 3G SDI 1 output must be used with Windows 32bit and SDI 2 output must be used with Windows 64bit